



# Broccoli

## Tip Sheet

### Broccoli

Family: Brassicaceae (Mustard)

Season: Cool

Ease of growing: Moderate

Nutrient needs: High

Water needs: High

Common propagation: Transplant (spring or fall) or direct seed (fall)

### Seed facts

Germination temperature: 45°F to 85°F

Germination time: 4 to 20 days

Viability: 3 to 4 years

Direct sow: Early June (fall crop)

### Transplants

Weeks to grow transplants: 3 to 4

Start: March to April (spring crop); June (fall crop)

Plant out: April to May (spring crop); July to August (fall crop)

### Planning facts

Typical spacing: 8" x 18"; 12" x 30"

Square foot per plant: 1

Time to harvest: 45 to 70 days from transplants

### Preparation and planting

Broccoli grows well under Michigan's cool conditions, especially near the lake shore where temperatures are moderated. It is not very heat tolerant, so it is best to plan on early spring and fall crops. It can withstand light frosts at seedling stage, but is not as frost tolerant as its close relative – cabbage. In the fall, mature broccoli can withstand temperatures down to 25°F and cold temperatures during this period make Michigan broccoli much sweeter than anything grown in warmer climates like California. In mild falls, it is occasionally possible to harvest broccoli into December.

### Care

Provide broccoli plants with plenty of water for faster growth, and side-dress with fertilizer about three weeks after planting. Broccoli is a moderately heavy feeder, but over-fertilization can cause hollow stem.

### Major pests

**Insects:** Imported cabbage worm, cabbage loopers, diamond back moth, flea-beetles.

**Diseases:** Black rot, club root, downy mildew, alternaria leaf spot.

### Harvesting and storage

Harvest broccoli before the flowers open while the floret is still in a tight head. If the flowers open, it's too late. When the terminal head of broccoli is removed, additional smaller heads will form as side shoot growth, increasing the overall yield. Don't remove the plants after removing the large head. Broccoli is highly perishable under warm conditions so it is best to harvest in the morning and immediately refrigerate.

### Variety selection

Most readily available broccoli varieties are hybrids used in commercial production. Some traditional non-hybrid varieties like De Cicco are well suited to the home garden since they produce large numbers of side-shoots allowing for more prolonged harvest. For spring plantings, look for early maturing varieties with good heat tolerance like Windsor. For fall harvest, look for varieties with good cold tolerance and longer maturity.

[www.migarden.msu.edu](http://www.migarden.msu.edu)

MICHIGAN STATE  
UNIVERSITY

Extension Project GREEN

Developed by James Manning, Undergraduate Research Assistant, and Daniel Brainard, Vegetable Extension Specialist; MSU Department of Horticulture; Gary Heilig, MSU Extension educator.

MSU is an affirmative-action, equal-opportunity employer. Michigan State University Extension programs and materials are open to all without regard to race, color, national origin, gender, gender identity, religion, age, height, weight, disability, political beliefs, sexual orientation, marital status, family status or veteran status. Issued in furtherance of MSU Extension work, acts of May 8 and June 30, 1914, in cooperation with the U.S. Department of Agriculture. Thomas G. Coon, Director, MSU Extension, East Lansing, MI 48824. This information is for educational purposes only. Reference to commercial products or trade names does not imply endorsement by MSU Extension or bias against those not mentioned.